




REV	DESCRIPTION	DATE



ASSEMBLED

NOTES

- MATERIAL (ABS) FLAME RETARDANT UL94 V0 MATERIAL WITH BRASS INSERTS IN CORNER POSTS, (STYRENE) IS NON-FLAME RETARDANT WITHOUT BRASS INSERTS.
- PARTS (ABS) VERSION MACHINE SCREWS M3-0.5 x 10mm, REPLACEMENT PN 1591MS100 (100 / BAG), (STYRENE) VERSION SELF TAPPING #4 x 0.5", REPLACEMENT PN 1591TS100 (100 / BAG),
- COLORS (ABS) BLACK, & GRAY, (STYRENE) GRAY ONLY,

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
X	+/- .1
XX	+/- .02
XXX	+/- .015
CUTS	+/- .005
ANGLES	+/- .5 DEG.
TOLERANCES	
HAMMOND CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL ON THIS DRAWING. IT IS INTENDED TO BE USED AS A REFERENCE FOR ENGINEERING INFORMATION ONLY. THIS INFORMATION MAY NOT BE USED TO MANUFACTURE PRODUCT WITHOUT WRITTEN PERMISSION FROM HAMMOND MANUFACTURING.	




HAMMOND
MANUFACTURING

WEB: WWW.HAMMONDMFG.COM

TITLE HAMMOND 1599 SERIES PLASTIC ENCLOSURE	
DRAWN BY MJM	DATE 07/06/01
SCALE	PAGE 1 OF 3
PART NUMBER 1599HBAT	

NOTES



BOX

APPROXIMATE 2 DEG.
DRAFT ANGLE

DETAIL A

UNLESS OTHERWISE SPECIFIED	
DIMENSIONS ARE IN INCHES	
X	+/- .1
XX	+/- .02
XXX	+/- .015
FITS	100
ANGLES	+/- 8 DEG





**HAMMOND
MANUFACTURING**

WEB: WWW.HAMMONDMFG.COM

TITLE	
HAMMOND 1599 SERIES PLASTIC ENCLOSURE	
DRAWN BY	MJM
DATE	07/06/01
SCALE	
PAGE	2 OF 3
PART NUMBER	1599HBAT

NOTES

BATTERY LID IS REMOVED
IN ALL VIEWS



LID

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
XX +/- .1
XXX +/- .02
SLOTS +/- .015
ANGLES +/- .005
NOTES:
DRAWING IS THE PROPERTY OF HAMMOND MANUFACTURING. IT IS
INTENDED TO BE USED AS A REFERENCE FOR
PRODUCTION INFORMATION ONLY. THE
INFORMATION MAY NOT BE USED TO
REPRODUCE OR MANUFACTURE WITHOUT WRITTEN
PERMISSION FROM HAMMOND MANUFACTURING.



**HAMMOND
MANUFACTURING**

WEB: WWW.HAMMONDMFG.COM

TITLE
HAMMOND 1599 SERIES
PLASTIC ENCLOSURE
DRAWN BY MJM DATE 07/06/01
SCALE PAGE 3 OF 3
PART NUMBER
1599HBAT